



Retro
Bedroom

Retro Bedroom.

A retro living, dining and bedroom collection made from specially selected quality oak and oak veneers. The Scandinavian influence in the design conveys a strong yet simple look, adapting well with modern or traditional interiors. All cabinets have soft close hinges and the drawers glide easily when loaded. The detailed attention of the cabinet maker is precise and authentic. A hand waxed, silky smooth satin matt finish enhances the natural beauty of the oak grain.

Top panels, doors, apron, legs, drawer fronts	Solid oak
Drawer front panel, drawer box, drawer bottom side panel, shelves, and drawer box	Oak veneer
Drawer runners	Ball bearing
Joints	Dowel and screw
Finish	PU, NC and Wax



3 Drawer Bedside

W:450mm D:400mm H:550mm
Internal drawer dimensions:
W:310mm D:276mm H:70mm



Nightstand

W:500mm D:400mm H:600mm
Internal drawer dimension:
W:235mm D:190mm H:80mm



3 Drawer Chest

W:875mm D:450mm H:851mm
Internal drawer dimensions:
W:750mm D:320mm H:145mm



4 Over 3 Chest

W:700mm D:450mm H:1128mm
Internal top two drawer dimensions:
W:265mm D:320mm H:90mm
Internal two drawer dimensions:
W:265mm D:320mm H:110mm
Internal three drawer dimensions:
W:600mm D:320mm H:135mm



6 Drawer Wide Chest

W:1300mm D:450mm H:851mm
Internal drawer dimensions:
W:550mm D:320mm H:140mm



4'6" Bed

W:1474mm D:2067mm H:1120mm

5' Bed

W:1634mm D:2142mm H:1120mm



4'6" Bed Low Foot-End

W:1495mm D:2058mm H:1120mm

5' Bed Low Foot-End

W:1645mm D:2058mm H:1120mm



Full Hang Robe

W:950mm D:582mm H:1850mm

Shelf at the top with hanging rail underneath

Care and Maintenance

The Furniture should be dusted with a soft dry cloth. A coat of natural beeswax should be applied to the wood a couple of times a year to maintain its lustre.

Avoid the use of cleaning agents or spray polish as these can contain abrasive substances or solvents, and over a period of time these can penetrate the finish and spoil the surface.

Furniture tops may be damaged by hot plates, wet cups and objects with sharp or hard surfaces. It is recommended to use place mats.

Spilt liquids should be wiped off immediately.

When lifting/carrying the beds or larger items, they should be carried by at least two people and held along the sides and/or the frame. No additional loads should be on the furniture and it must not be pulled along the floor this can weaken the joints and damage the furniture permanently.

The Furniture should be placed at least 1 meter from active heat sources such as radiators and heaters. They should be used in rooms that are dry, closed and protected against the effect of atmospheric conditions including the effect of direct sunlight. Too dry or damp air may cause deformities to some parts of the furniture. Avoid placing the furniture on damp surfaces.

If applicable, at least every 4 months the bolts should be checked to make sure that they are tight.

